

**CLINICAL
EEG**
ELECTROENCEPHALOGRAPHY



**AUTHOR and
SUBJECT INDEX**

VOL. 6, 1975

INDEX OF AUTHORS

- Alkan, Michael L., 16
Becka, Dorothy R., 54
Cohn, Robert, 8
Davaroukas, Andreas, 75
Davies, Robert K., 103
Deliyannakis, Elias, 75
Dick, Arthur R., 184
Dvilansky, Alexander, 16
Foster, Betty S., 23
Garvin, John S., 29
Gibbs, Erna L., 29, 141, 191
Gibbs, Frederic A., 141, 191
Green, Martin A., 54
Hassanein, Ruth Stephenson, 184
Himmelhoch, Jonathan M., 103
Hooshmand, H., 61, 116, 170
Howard, Alfreda, 54
Ioannou, Fotios, 75
Itil, T. M., 44
Kooi, Kenneth A., 80
Koshino, Y., 131
Marasa, J., 92
Mayersdorf, Assa, 16
Maynard, C. Douglas, 23
McFarland, H. Richard, 178
Mednick, S., 92
Neidengard, L., 68
Neil, John F., 103
Niedermeyer, E., 68, 131
Oliver, F. E., 170
Saletu, B., 44, 92
Saletu, M., 44, 92
Sarhaddi, S., 61
Schmitt, Otto H., 4
Schulsinger, F., 92
Simeon, J., 44
Spudis, Edward V., 23
Struve, Frederick A., 54
Weinmann, Robert L., 126
Williams, Robert L., 151
Yamada, Thoru, 80
Ziegler, Dewey K., 184

INDEX OF SUBJECTS

Vol. 6, No. 1, 2, 3, 4, 1975

- Acoustic evoked potentials** and, childhood psychosis, 44-52
— high risk children for schizophrenia, 92-102
- Age factor** and, hyperventilation effect on EEG, 184-190
— hypothyroidism, EEG findings, 61-67
— sleep, electrophysiology, 151-169
— small sharp spikes, 131, 132, 137
— steady spiking, 191, 192
- Akinetic seizures**, and management of intractable partial complex seizures, 118-123
- Alcoholism** and, effect on the EEG, 180, 181
— small sharp spikes, 137, 139
- Alpha activity** and, children with high risk for schizophrenia, 51
— drowsy stage, 155
— drug effect, 179-182
— hypothyroidism, 61, 62, 66
— hydrocephalus, 29, 33
— interpretation reliability, 56
— mu rhythm, 80-84, 88
— multiple myeloma, 18, 21
— telephone transmission, 9
- Alpha chloralose**, and cerebral dysrhythmias, 111, 112
- Alphoid activity**, See Mu rhythm, 80-88
- American Medical EEG Association**, announcement of new subscription rates, 147
— round-table discussion: telephone transmission of EEGs, eighth annual meeting, 4-15
- Amobarbital** and, partial seizures, tests for cerebral dominance, 116, 121
— photic sensitive epilepsy, 170
- Amphetamines**, effect on the EEG, 180, 181
- Amplitude changes** and, acutely ill patients with steady spiking, 191, 192, 199, 200
— drug effects, 179-182
— evoked potentials in schizophrenia, 92, 99
— evoked response in childhood psychosis, 44-52
— hydrocephalus, 29, 36, 38
— hypothyroidism, 61, 63, 65, 66
- Amygdaloid nucleus**, and depth electrodes in partial complex seizures, 116
- Amytriptyline**, effect on the EEG, 179
- Anemia, sickle cell**, EEG in neurological complications, 68-74
- Aneurysm**, and steady spiking, 193
- Announcement, subscription rates** for Clinical EEG, 147
- Anoxia** and, brain death, 75
— hippocampal damage, 99
- Anterior temporal localization** and, hydrocephalus, 31
— small sharp spikes, 133, 136
— (See also Temporal localization)
- Anticholinesterase drugs**, effect on the EEG, 179, 181
- Anti-epileptic drugs** and, breath-holding syncope and epileptiform seizures, 126, 129
— clonazepam, treatment of photic sensitive epilepsy, 170-177
— management of intractable partial complex seizures, 116-125
— photic sensitive epilepsy, 170-177
— schizophrenia, 110, 111
- Antihistamine**, effect on the EEG, 179, 181
- Anxiety** and, drug effect on EEG, 180, 182
— schizophrenia and EEG, 107, 111
- Arteriovenous malformation**, and intractable partial complex seizures, 116, 119, 122
- Artifact** and, breath-holding, 126
— telephone transmission, 7-13
- Asymmetry of EEG** and, hydrocephalus, 29, 33, 38
— interpretation reliability, 57
— mu rhythm, 85, 88
— oral contraceptives, 182
- Asynchrony**, and hydrocephalus, 31-36, 39
- Asystole**, and breath-holding syncope, 127, 128, 129
- Atarax**, effect on the EEG, 179
- Ataxia**, and hypothyroidism, 63
- Atropine**, effect on the EEG, 179
- Auditory stimuli** and, childhood psychosis, 44-52
— high risk children for schizophrenia, 92-102
— mu rhythm, 80, 84
- Autistic children**, and evoked potentials, 50
- Autonomic nervous system** and, evoked responses in schizophrenia, 98, 99
— hyperventilation, 189
— REM sleep, 159

- Barbiturates**, effect on the EEG, 179, 181
- Behavior disorder** and, predisposition to schizophrenia, 107, 108, 110, 111, 113
- Bemegride**, and cerebral dysrhythmia, 111
- Benadryl**, effect on EEG, 181
- Benzodiazepines** and, effect on EEG, 179, 181
- partial complex seizures, 116, 118, 120, 122
 - photic sensitive epilepsy, 170-177
 - schizophrenia, 111
- Benzotropine mesylate**, and schizophrenics, 103
- Beta activity** and, drugs, 178-182
- hyper-arousal of the CNS, 98
 - interpretation reliability, 56
 - mu rhythm, 80-82, 86, 88
 - (See also Fast Activity)
- Birth control medication**, and EEG changes, 180-182
- Birth injury** and hydrocephalus, 32
- schizophrenia, 99, 105, 108, 109
- Blindness** and, occipital needle sharp spikes, 141-144
- steady spiking, 195, 197, 199
- Blood pressure**, and REM sleep, 159
- Blood sugar level**, EEG and hyperventilation, 185, 188
- Brain neoplasms** and, location, with normal EEG, 23-28
- intractable partial complex seizures, 116, 119, 122
 - occipital needle sharp spikes, 141-144
 - small sharp spikes, 131, 135
 - steady spiking, 198
- Brain scan**, and EEG in tumor cases, 23-28
- Brain stem** and, calcium effect in multiple myeloma, 22
- death with persistence of bioelectric activity of the cerebral hemispheres, 75-79
 - over-arousal in schizophrenia, 99
 - slow waves in hyperventilation, 189
- Breath-holding**, and epileptiform seizures, EEG and EKG monitoring, 126-130
- Butaperzine**, effect on the EEG, 179
- Butyrophenones**, and schizophrenia, 105
- Caffeine**, effect on the EEG, 180, 181
- Calcemia, hyper-**, and multiple myeloma, 16-22
- Cardiac arrest**, and brain death, 75
- Cardiac catheter**, and telephone transmission, 14
- Central localization**, and mu rhythm, 82, 83, 86, 88
- Cerebral dysrhythmias**, in schizophrenics receiving phenothiazines, 103-115
- (See also Sharp waves, Spikes, and Spike and Wave)
- Cerebral palsy** and, hydrocephalus, 38, 39
- occipital needle sharp spikes, 141, 142, 144
- Cerebrovascular disease** and, intractable partial complex seizures, 116, 119, 122
- oral contraceptives, 182
 - small sharp spikes, 134, 135, 138, 139
 - steady spiking, 193, 198
- Children** and, high risk for schizophrenia with acoustic evoked potentials, 92-102
- hydrocephalus, 29-40
 - hyperventilation response, 184-190
 - hypothyroidism, 61-67
 - ocular enucleations and occipital needle sharp spikes, 141-144
 - psychosis with evoked response, 44-53
 - sleep studies, 157-168
- Chloral hydrate**, effect on the EEG, 179, 181
- Chlorpromazine**, effect on the EEG, 179, 180, 181
- Chlorprothixene**, effect on the EEG, 179, 181
- Clonazepam** and, management of intractable partial complex seizures, 116, 118, 120
- treatment of photic sensitive epilepsy 170-177
- Coma** and, brain death, 75-78
- hypothyroidism, 61
 - sickle cell anemia, 68
 - small sharp spikes, 132
 - steady spiking, 191, 192, 196, 199
- Computer analysis of EEG** and, acoustic evoked potentials in offsprings of schizophrenic mothers, 92-100
- drug effects on EEG, 178
 - telephone transmission, 8, 9
- Confusion** and, multiple myeloma, 16, 17, 22
- schizophrenia, 106, 109
 - steady spiking, 193, 195, 199
- Consciousness level**, and mu rhythm 80-88
- (See also Coma, Confusion, and Sleep)
- Contraceptive medication**, and EEG changes, 180-182
- Control subjects** and, evoked response, 44-52, 92-100
- hyperventilation, 184-190
 - mu rhythm, 80, 88
 - sleep data, 151-169
 - small sharp spikes, 131, 138
- Convulsions**, (See Grand mal seizures)
- Corpus callosum**, and synchrony, 39
- Cretins**, and EEG in hypothyroidism, 65
- Cyclocybine**, effect on the EEG, 179
- Dalmane**, effect on the EEG, 181

- Darvon**, effect on the EEG, 180
- Death** and, brain stem, with persistence of bioelectric activity of the cerebral hemispheres, 75-79
- steady spiking, 199, 200
- Deja vu**, and and schizophrenia, 107
- Delta activity** and hyperventilation, 184-190
- multiple myeloma, 18-21
 - sickle cell anemia, 70, 74
 - sleep stages, 152-155, 160, 161
 - (See also Slow activity)
- Depression** and, drug treatment, 181
- evoked response, 51
 - hypothyroidism, 63
 - schizophrenia, 107
- Depth recording**, and intractable partial complex seizures, 116, 117, 120-122
- Dextroamphetamine**, and evoked response latency, 98
- Diabetes**, and steady spiking, 198
- Diazepam** and, effect on the EEG, 181
- photic sensitive epilepsy, 170, 175
- Diphenylhydantoin**, and breath-holding syncope, 126, 129
- photic sensitive epilepsy, 175
- Ditran**, effect on the EEG, 179
- Dizziness**, and schizophrenia, 107
- Doriden**, effect on the EEG, 179
- Droperidol**, effect on the EEG, 179
- Drugs** and, breath-holding syncope, 126, 129
- cerebral dysrhythmias in schizophrenics receiving phenothiazines, 103-115
 - clonazepam in treatment of photic sensitive epilepsy, 170-177
 - effect on the EEG, review and commentary, 178-183
 - evoked response latency, 98
 - management of intractable partial complex seizures, 116-125
 - normal sleep, 151, 152, 166, 169
 - photic sensitive seizures, 170-177
 - psychosis, 52, 103-115
 - small sharp spikes, 131, 139
 - steady spiking, 191
- Dysrhythmias, cerebral**, and schizophrenics receiving phenothiazines, 103-115
- (See also Sharp waves, Spikes, and Spike and wave)
- Edema**, and normal EEG with tumor, 27
- EKG** and, breath-holding syncope, 126-130
- small sharp spikes, 132
 - steady spiking, 191
- Elavil**, effect on the EEG, 179
- Electric silence** and, brain death, 75-78
- hydrocephalus, 36, 38
 - (See also Flattening)
- Electrodes**, and recording normal sleep, 155
- Electromagnetic waves**, and telephone transmission, 9
- Electrophysiology of human sleep**, 151-169
- Encephalitis**, and steady spiking, 198
- Endocrine disease**, and EEG changes, 181, 182
- hypothyroidism, 61-67
- Enuresis**, and schizophrenia, 108
- Epilepsy** and, hydrocephalus, 31, 32, 39
- photic sensitive, treatment with Clonazepam, 170-177
 - schizophrenia, 110, 111
 - small sharp spikes, 134-139
 - (See also Seizures)
- Epinephrine**, effect on the EEG, 180, 181
- Equanil**, effect on the EEG, 179
- Eserine**, effect on the EEG, 179, 181
- Estrogen**, and EEG changes, 180, 182
- Ethchlorvynol**, effect on the EEG, 179
- Euphoria**, and drugs with EEG changes, 178, 180, 182
- Evoked response** and, childhood psychosis, 44-53
- hypothyroidism, 61
 - offspring of schizophrenic mothers, 92-102
- Eyes** and movement (See REM sleep)
- ocular compression with breath-holding, 128, 129
 - ocular enucleations with occipital needle sharp spikes, 141-144
 - visual impairment, with steady spiking, 195, 197, 199
 - (See also Photic stimulation)
- Fast activity** and, drug effects, 178-182
- hyper-arousal of CNS, 98
 - hyperthyroidism, 65, 182
 - hydrocephalus, 35
 - interpretation reliability, 56
 - mu rhythm, 80-82, 86, 88
 - schizophrenia, high risk children, 51
- Fasting**, and normal sleep, 154, 161
- Fatigue**, and hypothyroidism, 63
- Females** and, contraceptive medication, 180-182
- normal human sleep, 151, 157-168
 - steady spiking, 191, 192
- Flattening of EEG** and, brain death, 75-78
- drugs, 179, 181, 182
 - hydrocephalus, 36, 38
 - steady spikes, 191, 192, 199, 200
- Fluphenazine**, effect on the EEG, 179
- Focal abnormality** and, EEG computerization, 9
- (See also Anterior temporal, Central, Frontal, Hemisphere, Mid-temporal, Occipital, Parietal, and Temporal localization)

- Focal seizures** and, management of intractable complex partial seizures, 118, 119
— small sharp spikes, 136
— tumor, 24
- Fourteen and six per second positive spikes** and, hydrocephalus, 31, 37
— interpretation reliability, 56, 57
— sickle cell anemia, 69
- Frequency analyzer**, and evaluation of effect of drugs on EEG, 178
— (See also Computer analysis)
- Frontal localization** and, acutely ill patients with steady spiking, 193-197
— drug effects, 180, 181
— hydrocephalus, 31, 36
— partial complex seizures, 116, 119, 122
— spikes, 31, 36, 122, 193-197
— tumor with normal EEG, 23, 26
- Glutethimide NF**, effect on the EEG, 179
- Goggles**, and photic sensitive epilepsy, 170, 175
- Grand mal discharge** and, acutely ill patients, 194
— hydrocephalus, 31
- Grand mal seizures** and, hydrocephalus, 31
— hypothyroidism, 64
— intractable partial complex seizures, 119
— schizophrenia, 108
— sickle cell anemia, 72, 74
— small sharp spikes, 136, 139
— steady spiking, 191-200
— visual stimulation, 170, 175
— (See also Seizures)
- Habituation**, arousal and psychosis, 52
- Haldol**, effect on the EEG, 179
- Hallucinations** and, drug effect on the EEG, 179-182
— schizophrenia, 106, 108
- Haloperidol**, effect on the EEG, 179
- Hashish**, effect on the EEG, 180, 182
- Headache** and, oral contraceptives, 182
— schizophrenia, 107
- Head injury** and, schizophrenia, 108, 109
— small sharp spikes, 135, 137
— steady spiking, 198
- Hemisphere localization** and, bioelectric activity with brain stem death, 75-79
— hydrocephalus, 31
— intractable partial complex seizures, 118, 124
— spikes, 31, 118, 124, 191, 196, 197, 200
— steady spiking with acutely ill patients, 191, 196, 197, 200
- Hemispherectomy**, and intractable partial complex seizures, 119, 123, 124
- Hemiparesis**, and sickle cell anemia, 68-70, 74
- Hepatic coma**, and steady spiking, 198
- Hippocampus**, and evoked response, 99
- Hormones** and, EEG changes, 180-182
— normal sleep, 154, 160, 161
— thyroid disease, 61-67, 182
- Humps, sleep**, and hydrocephalus, 31, 34
— (See also K-complex, and Vertex sharp waves)
- Hydrocephalus**, and EEG, 29-40
- Hydrosyzine**, effect on the EEG, 179
- Hydroxycorticosteroids**, and REM sleep, 159
- Hypercalcemia**, and multiple myeloma, 16-22
- Hyperventilation** and, effect of age and depth on quantitative EEG response, 184-190
— multiple myeloma, 18
- Hyperviscosity**, and multiple myeloma, 16-22
- Hypocapnia, hyperventilation** and EEG, 184-190
- Hypothyroidism**, and EEG in adults and children, 61-67
— EEG and hormones, 180, 182
- Hypoxia**, and breath-holding syncope, 129
- Hypsarhythmia** and, hydrocephalus, 31
— treatment of intractable partial complex seizures, 116, 118
- Imipramine**, effect on the EEG, 179
- Infantile spasms**, and management of intractable partial complex seizures, 116, 118
— (See also Hypsarhythmia)
- Innovar**, effect on the EEG, 179
- Insomnia** and, sleep patterns, 161, 164
— sleeping pills, 151, 152
- Interpretation of EEG** and, reliability in clinical diagnosis and research, 54-60
— telephone transmission, 7, 12
- Iproniazid**, effect on the EEG, 179
- Irritability**, and schizophrenia, 106, 108, 110, 113
- Ischemia, cerebral**, and hyperventilation, 188
- Isoelectric activity** and, brain death, 75-78
— hydrocephalus, 36, 38
— (See also Flattening)
- K-complex** and sickle cell anemia, 73, 74
— sleep stages, 152, 155
- Learning difficulties**, and schizophrenia, 105, 108
- Lennox syndrome**, and treatment of akinetic seizures, 120, 121
- Lethargy**, and multiple myeloma, 16
- Levomepromazine**, effect on the EEG, 179
- Librium**, effect on the EEG, 179
- Limbic reward system**, and arousal in psychosis, 51
- Lithium**, effect on the EEG, 179, 181

- LSD-25**, effect on the EEG, 179
- Major motor seizures**, and visual stimulation, 170, 175
- (See also Grand mal)
- Manic-depressive psychosis**, and small sharp spikes, 131, 132, 135, 137, 139
- Marijuana**, effect on the EEG, 180, 182
- Marsilid**, effect on the EEG, 179
- Medical history**, and computerized EEG, 5
- Medical legal aspects**, of telephone transmission of EEG, 8, 13, 14
- Mellaril**, effect on the EEG, 179
- Memory loss**, and schizophrenia, 106
- Meningitis, meningococcal**, and brain stem death, 75-78
- Mental retardation**, and hydrocephalus, 32, 33, 35, 38, 39
- hypothyroidism, 63
- intractable seizures, 120, 121
- occipital needle sharp spikes, 141, 143
- sickle cell anemia, 69, 72
- small sharp spikes, 137
- Mepazine**, effect on the EEG, 179
- Meprobamate**, effect on the EEG, 179
- Mescaline**, effect on the EEG, 178, 179
- Metabolic defect** and, hypothyroidism, 61-67
- multiple myeloma, 22
- Methylphenidate** and, effect on the EEG, 180, 181
- evoked response latency, 98
- Methypylon**, effect on the EEG, 179
- Mid-temporal localization** and, hydrocephalus, 31
- small sharp spikes, 132-136
- spikes, 31, 132-136
- (See also Temporal localization)
- Miltown**, effect on the EEG, 179
- Morphine**, effect on the EEG, 178
- Mu rhythm**, and level of consciousness, 80-88
- Multiple spikes** and, acutely ill patients with steady spiking, 197
- hydrocephalus, 31
- (See also Grand mal discharge)
- Myelinization**, and thyroid hormone, 65
- Myeloma, multiple**, and hyperviscosity vs. hypercalcemia, EEG and encephalopathic findings, 16-22
- Myoclonic seizures**, and management of intractable partial complex seizures, 118, 121
- Myxedema**, and EEG changes, 180, 182
- Narcotics**, effect on the EEG, 180
- Nasopharyngeal leads**, and small sharp spikes, 132, 133, 135
- Navone**, effect on the EEG, 179
- Neoplasms, brain**, and, location with normal EEG, 23-28
- partial complex seizures, 116, 119, 122
- occipital needle sharp spikes, 141-144
- small sharp spikes, 131, 135
- steady spiking, 198
- Neuroleptic drugs**, and evoked potentials, 99
- (See also Phenothiazines)
- Neuronal function**, and hypothyroidism, 65
- Neurosis**, and hypothyroidism, 63
- Nialamide**, effect on the EEG, 179
- Niamid**, effect on the EEG, 179
- Nicotine**, effect on the EEG, 180, 182
- Nightmares**, and schizophrenia, 108, 109
- Nitrazepam**, and photic sensitive epilepsy, 175
- Noludar**, effect on the EEG, 179
- Normal EEG** and, drugs, 178
- hydrocephalus, 29-32, 39
- hypothyroidism, 61, 62, 64
- interpretation reliability, 54-60
- schizophrenics on phenothiazines, 103-113
- sickle cell anemia, 74
- sleep, 151-169
- tumor, 23-28
- Occipital localization** and, acutely ill patients with steady spiking, 191, 195, 197, 200
- hydrocephalus, 31, 35
- intractable partial complex seizures, 118
- mu rhythm, 82, 83, 88
- needle sharp spikes in patients with ocular enucleations, 141-144
- spikes, 31, 118, 141-144, 191, 195, 197, 200
- visual evoked response, 45
- Ocular compression** and breath-holding syncope, 128, 129
- Ocular enucleations**, and occipital needle sharp spikes, 141-144
- Oxygen consumption**, and REM sleep, 159
- (See also Hyperventilation)
- Paraldehyde**, effect on the EEG, 179
- Parietal localization** and, acutely ill patients with steady spiking, 197
- hydrocephalus, 31, 35, 37
- spikes 31, 35, 197
- Parkinson syndrome**, and chlorpromazine, 180
- Partial complex seizures**, management of intractable cases, 116-125
- Pecazine**, effect on the EEG, 179
- Penile tumescence**, and normal sleep, 153, 159, 164
- Pentyleneetetrazol**, and cerebral dysrhythmias, 111
- Perinatal injury** and, hydrocephalus, 32
- schizophrenia, 99, 105, 108, 109

- Perphenazine**, and schizophrenia, 107
- Petit mal discharge** and, hydrocephalus, 31
— partial complex seizures, 120
- Petit mal seizures** and, management of intractable partial complex seizures, 117, 118, 120
- Petit mal variant**, and treatment of intractable partial complex seizures, 121
- Phenacemide**, and photic sensitive epilepsy, 170
- Phenergan**, effect of the EEG, 179
- Phenobarbital**, and photic sensitive epilepsy, 175
- Phenothiazines** and, effect on the EEG, 179, 180
— schizophrenics, clinical correlates and cerebral dysrhythmias, 103-115
- Phobia**, and schizophrenia, 108, 109
- Photic sensitive epilepsy**, and treatment with Clonazepam, 170-177
- Photic stimulation** and, childhood psychosis, evoked response, 44-52
— epilepsy, treatment with clonazepam, 170-177
— hypothyroidism, 61, 63
- Photo convulsive response**, seizures and treatment, 170-177
- Placidyl**, effect on the EEG, 179
- Premature birth** and, schizophrenia, 99, 105, 108
- Progesterone**, and EEG changes, 182
- Prolixin**, effect on the EEG, 179
- Promazine**, effect on the EEG, 179
- Promethazine**, effect on the EEG, 179
- Prostigmine**, effect on the EEG, 179, 181
- Psychomotor seizures** and, management of intractable partial complex seizures, 118, 119, 122
— sickle cell anemia, 72, 74
— small sharp spikes, 136
- Psychosis** and, arousal response, 51, 52, 99
— drugs, 100, 181
— evoked response, 44-53, 92-102
— REM sleep, 159, 160
— small sharp spikes, 131, 132, 135, 137, 139
- Quantitative analysis**, and acoustic evoked potentials in offsprings of schizophrenic mothers, 92-100
— (See also Computer analysis)
- Rage attacks**, and schizophrenia, 108, 111
- Recording techniques** and normal sleep, 155, 156
- REM sleep** and, mu rhythm, 81, 82, 87
— normative data, 152-168
- Repose**, effect on the EEG, 179
- Reserpine**, effect on the EEG, 179
- Reticular activation** system and, drug interactions in schizophrenia, 112
— arousal in psychosis, 51, 99
- Retinoblastoma**, and, occipital needle sharp spikes, 141, 143, 144
- Ritalin**, effect on the EEG, 180
- Rolandic alpha rhythm**, See Mu rhythm, 80-88
- Rythmes en arceau**, See Mu rhythm, 80-88
- Rythmes rolandiques**, See Mu rhythm, 80-88
- Schizophrenia** and, acoustic evoked potentials in high risk children, 92-102
— cerebral dysrhythmias with phenothiazines, 103-115
— evoked responses, 44, 92-102
— hypothyroidism, 63
— sleep disturbances, 51, 52, 99
- Scopolamine**, effect on the EEG, 179
- Sedatives** and, effect on the EEG, 179, 181
— side effects of Clonazepam, 170, 175
- Seizures** and, breath-holding, 126-130
— chlorpromazine, 181
— hydrocephalus, 31, 32, 35, 36
— hypothyroidism 62-66
— intractable partial complex seizures, 116-125
— occipital needle sharp spikes, 141, 143, 144
— photic sensitive seizures, 170-177
— schizophrenia, 108
— sickle cell anemia, 68-74
— small sharp spikes, 134-139
— steady spiking, 191-196, 199, 200
— tumor, 24, 143, 144
— (See also Akinetic, Focal, Grand mal, Infantile spasms, Myoclonic, Partial complex, Petit mal, Photic sensitive, Psychomotor, Status epilepticus, and Sylvian seizures)
- Semicoma**, and small sharp spikes, 132
— (See also Coma)
- Sensors** and, EEG data reduction, 5, 7, 9
- Serotonin**, effect on EEG, 179, 181
- Sex factor** and, normal human sleep, 151, 157-168
— steady spiking, 191, 192
- Sharp waves** and, breath-holding, 126, 128
— contraceptive medication, 182
— hypothyroidism, 63, 65, 66
— mu rhythm, 82, 86
— schizophrenics on phenothiazine, 105, 106, 110
— sickle cell anemia, 72
— small sharp spikes, 136
- Shunt operations**, and hydrocephalus, 29, 32, 35, 37-39
- Sickle cell anemia** and, neurological complications, 68-74

- small sharp spikes, 137
- Six per second spike and wave discharge** and, hydrocephalus, 31
- small sharp spikes, 136
- Sleep recordings** and, drugs, 179-181
 - hydrocephalus, 29, 33-39
 - hypothyroidism, 61, 63, 65
 - interpretation reliability, 55, 59
 - mu rhythm, 80-88
 - normative data, 151-169
 - occipital needle sharp spikes, 141
 - over-arousal in schizophrenics, 51, 52, 99
 - sickle cell anemia, 70, 72, 73, 74
 - small sharp spikes, 131-134
 - steady spiking, 191
- Slow activity** and, coma, 76
 - drugs, 179-182
 - hydrocephalus, 29-39
 - hyperventilation, 184-190
 - hypothyroidism, 61-66
 - interpretation reliability, 57, 58
 - multiple myeloma, 18-21
 - occipital needle sharp spikes, 141, 144
 - schizophrenia, high risk children, 51
 - schizophrenics on phenothiazines, 104-113
 - sickle cell anemia, 69-74
 - sleep stages, 152-155, 160, 161
 - small sharp spikes, 136
 - steady spiking, 191, 199, 200
- Small sharp spikes**, and clinical significance, 131-140
- Smoking**, and EEG changes, 180, 182
- Sodium bromide**, effect on the EEG, 179
- Somatosensory** evoked response, and psychosis 44, 45, 47, 48, 51, 52
- Sparine**, effect on the EEG, 179
- Spike and wave activity** and, acutely ill patients with steady spiking, 192
 - hydrocephalus, 29-31
 - mu rhythm, 81
 - partial complex seizures, 118, 120, 121
 - schizophrenics on phenothiazines, 105, 106, 110
 - small sharp spikes, 136
 - telephone transmission artifact, 12
- Spikes** and, acutely ill patients with steady spiking, 191-200
 - hydrocephalus, 29-39
 - hypothyroidism, 63-66
 - interpretation reliability, 56-58
 - mu rhythm, 81
 - multiple myeloma, 19
 - ocular enucleations with occipital needle sharp spikes, 141-144
 - partial complex seizures, 116, 118, 122, 124
 - schizophrenics on phenothiazines, 105, 106, 110
- sickle cell anemia, 69
- small sharp spikes, clinical significance, 131-140
- telephone transmission, 12
- (See also Anterior temporal, Fourteen and six per second positive spikes, Frontal, Grand mal discharge, Hemisphere, Hypsarhythmia, Mid-temporal, Multiple, Occipital, Parietal, Petit mal discharge, Petit mal variant, Six per second spike and wave, Spike and wave, and Temporal)
- Spina bifida**, and hydrocephalus, 32
- Spindles, sleep**, and, drug effect, 179, 180
 - hydrocephalus, 31, 34
 - hypothyroidism, 61, 63, 65
 - mu rhythm, 81, 82, 86, 88
 - normal sleep stages, 152, 155
 - sickle cell anemia, 74
- SS-Hemoglobinopathy**, and neurological complications, 68-74
- Staring** and, photic sensitive seizures, 170
 - schizophrenia, 105
- Status epilepticus**, and, steady spiking, 191
- Steady spiking**, in the EEG of acutely ill patients, 191-200
- Stelazine**, effect on the EEG, 179
- Stimulants**, effect on the EEG, 180, 181
- Suicide**, Schizophrenia and EEG, 105, 106, 108
- Surgical treatment**, of intractable partial complex seizures, 116, 119-122
- Sylvian seizures**, and management of partial complex seizures, 118
- Synchronization**, effect of drugs on the EEG, 178-182
- Syncope** and, breath-holding with epileptiform seizures, EEG and EKG monitoring, 126-130
 - small sharp spikes, 135-139
- Taractan**, effect on the EEG, 179
- Technicians**, and telephone transmission, 10-13
- Telephone transmission** of EEGs, 4-15
- Temper tantrums**, and schizophrenia, 108, 109
- Temporal localization** and acutely ill patients with steady spiking, 193, 194, 197
 - hydrocephalus, 31
 - management of intractable partial complex seizures, 116, 118, 119, 122
 - small sharp spikes, 132-138
 - spikes, 31, 116, 118, 119, 122, 132-138, 193, 194, 197
- Thalamus** and, asynchrony, 39
 - electric silence in brain stem death, 78
 - partial complex seizures, 116

Theta activity and, drug effect, 179, 182

- interpretation reliability, 56

- mu rhythm, 82

- (See also Slow activity)

Thioridazine, effect on the EEG, 179**Thiothixene**, effect on the EEG, 179, 181**Thioxanthines**, and schizophrenia, 105**Thorazine**, effect on the EEG, 179, 181**Three per second** spike and wave discharge, and management of intractable partial complex seizures, 120

- (See also Petit mal discharge)

Thrombo-embolic disease, and oral contraceptives, 182**Thymoleptic drugs**, effect on the EEG, 179, 181**Thyroid disorder** and, EEG changes, 180, 182

- hypothyroidism in adults and children, 61-67

Thyroxin, effect on the EEG, 180**Tofranil**, effect on the EEG, 179**Toxicity**, drug, and EEG changes, 181**Tranquilizing drugs** and, effect on EEG, 179, 181

- evoked response latency, 98

- (See also Benzodiazepines)

Trauma, head, and, schizophrenia, 108, 109

- small sharp spikes, 135, 137

- steady spiking, 198

Trifluoperazine, effect on the EEG, 179, 180**Trimethadione**, and photic sensitive epilepsy, 170, 175**Triphasic waves**, and multiple myeloma,

18, 21

Tumor, brain, and, intractable partial complex seizures, 116, 119, 122

- normal EEG, 23-28

- occipital needle sharp spikes, 141-144

- small sharp spikes, 131, 135

- steady spiking, 198

Urinalysis, and drug screening, 178**Urine**, secretion, and REM sleep, 159**Valium**, effect on the EEG, 57, 179**Valsalva** maneuver, and breath-holding syncope, 126**Vascular disorder** and, intractable partial complex seizures, 116, 119, 122

- oral contraceptives, 182

- small sharp spikes, 134, 135, 138, 139

- steady spiking, 193, 198

Vertex sharp waves and, breath-holding syncope, 128

- sickle cell anemia, 77

- (See also Humps)

Vision, impairment and, needle sharp spikes, 141-144

- steady spiking, 195, 197, 199

Visual stimulation and, photic sensitive seizures, 170-177

- psychosis, 44-52

- thyroid disease, 61, 63

Voltage, surge in Telephone transmission, 6, 14

- (See also Amplitude)

Wernicke's encephalopathy, and steady spiking, 195**Wicket rhythm**, See Mu rhythm, 80-88



